Web Images Videos Maps News Shopping Gmail more ▾   Web History | Search settings | Sign in

Google   holograph biosensor Bacillus   [Search]   Advanced Search

Web Show options...   Results **1 - 10** of ab

Tip: Save time by hitting the return key instead of clicking on "search"

Scholarly articles for **holograph biosensor Bacillus**
Holographic sensors for the detection of bacterial ... - Bhatta - Cited by 4
Bacteria detection using disposable optical leaky ... - Zourob - Cited by 18
Glucose-sensitive holographic sensors for monitoring .. ... - Lee - Cited by 31

Holography gets smart - physicsworld.com
Feb 1, 2008 ... The underlying theory for **holography** was developed in 1947 by the ....
organism **Bacillus** subtilis — a close relative of **Bacillus** anthracis, ... C R Lowe 2007
Holographic sensors Handbook of **Biosensors** and Biochips (ed) ...
physicsworld.com/cws/article/print/32689 - Similar

A Smart move for holograms
by I Short - Related articles
Smart plans to provide a range of **holographic** packaging images that respond to specific
stimuli such as drug compounds or temperature. ...
www.rsc.org/chemistryworld/restricted/.../SmartMoveHolograms.asp - Cached

Method of making a plastic colorimetric resonant biosensor device ...
by J Qiu - 2009 - Related articles
Methods of producing liquid handling **biosensor** devices are provided. ... Cowan, "The
Recording and Large Scale Replication of Crossed **Holographic** .... Wan, et al.,
"Landscape phage-based magnetostrictive **biosensor** for detecting **Bacillus ...**
www.freepatentsonline.com/7611836.html

Holographic sensors for the determination of ionic strength - Elsevier
by AJ Marshall - 2004 - Cited by 5 - Related articles - All 3 versions
Holographic sensors for monitoring ionic strength have been fabricated from charged
sulphonate and quaternary ammonium monomers, incorporated into thin, ...
linkinghub.elsevier.com/retrieve/pii/S000326700401044X - Similar

Glucose-Sensitive Holographic Sensors for Monitoring Bacterial ...
by MC Lee - 2004 - Cited by 31 - Related articles
Bacillus subtilis NCTC3610 spores were prepared using the CCY medium method as .....
Metabolite-Sensitive **Holographic Biosensors** Analytical Chemistry ...
pubs.acs.org/doi/abs/10.1021/ac049334n - Similar

Selective Holographic Glucose Sensors
A **holographic** glucose sensor based on the swelling state ..... graphic Glucose sensors",
Biosensors and Bioelectron- ics, in press. ...
ieeexplore.ieee.org/iel5/9624/30805/01426342.pdf

Journal: Biosensors and Bioelectronics, Vol.21, Issue 9
Mar 15, 2006 ... cantilever (PEMC) sensors detect **Bacillus** anthracis at 300 spores/mL ...
Novel BOD optical fiber **biosensor** based on co-immobilized ... acid receptors as a means
of glucose selective **holographic** detection ...
www.sensorsportal.com/.../BIOSENSORS/Biosensors_21_9.htm - Cached - Similar

Method for producing a colorimetric resonant reflection **biosensor** ...
... "Landscape phage-based magnetostrictive **biosensor** for detecting **Bacillus** .... Cowan,
"The Recording and Large Scale Replication of Crossed **Holographic** ...
www.patentstorm.us/patents/7615339.html

[PDF] Microsoft PowerPoint - **BIOSENSOR** R&D AMMAN (2008)
File Format: PDF/Adobe Acrobat - View as HTML
REAL-TIME **HOLOGRAPHIC** GLUCOSE CONTACT. LENS **BIOSENSOR**. KEY ISSUES
TO ADDRESS ... Septicaemia. Toximaemia. Oedema. Days. **BACILLUS** ANTHRACIS AND
BIOTERRORISM ...
www.astf.net/uploads/day1/chris.pdf - Similar

PubMed Result
1: Fantino JR, Barras F, Denizot F. Sposensor: a whole-bacterial **biosensor** that uses
immobilized **Bacillus** subtilis spores and a one-step ...
www.ncbi.nlm.nih.gov/sites/entrez?db=pubmed&cmd=Link...

1 2 3 4 5 6 7 8 9 10   Next

holograph biosensor Bacillus

Search within results - Language Tools - Search Help - Dissatisfied? Help us im

Google Home - Advertising Programs - Business Solutions - Priva